

Test Report

號碼(No.): ETR24401458 日期(Date): 12-Apr-2024 頁數(Page): 1 of 15

光頡科技股份有限公司 (VIKING TECH CORPORATION) 新竹縣湖口鄉新竹工業區光復北路70號 (NO. 70, KUANFU N. ROAD, HSIN CHU INDUSTRIAL PARK, HUKOU, HSIN CHU HSIEN 303, TAIWAN)

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by the applicant as):

送樣廠商(Sample Submitted By)

: 光頡科技股份有限公司 (VIKING TECH CORPORATION)

樣品名稱(Sample Name)

: THIN FILM CHIP INDUCTOR

樣品型號(Style/Item No.)

AL SERIES

收件日(Sample Receiving Date)

: 08-Apr-2024

測試期間(Testing Period)

: 08-Apr-2024 to 12-Apr-2024

測試需求(Test Requested)

(1) 依據客戶指定、參考RoHS 2011/65/EU Annex II及其修訂指令(EU) 2015/863測試 鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP。 (As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).)

(2) 其他測試項目請見下一頁。 (Please refer to next pages for the other item(s).) 請參閱下一頁 (Please refer to following pages.)

測試結果(Test Results)

結 論(Conclusion) :

(1) 根據客戶所提供的樣品,其鎘、鉛、汞、六價鉻、多溴聯苯。多溴聯苯醚, DBP, BBP, DEHP, DIBP的測試結果符合RoHS 2011/65/EU Annex II暨其修訂指令(EU)

2015/863之限值要求。 (Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863

amending Annex II to Directive 2011/65/EU.)

Troy Chang / Department Malager Signed for and on behalf of SGS TAIWAN LTD. Chemical Laboratory - Taipei



PIN CODE: 4FC3EB3C



Test Report

號碼(No.): ETR24401458 日期(Date): 12-Apr-2024 頁數(Page): 2 of 15

光頡科技股份有限公司 (VIKING TECH CORPORATION) 新竹縣湖口鄉新竹工業區光復北路70號 (NO. 70, KUANFU N. ROAD, HSIN CHU INDUSTRIAL PARK, HUKOU, HSIN CHU HSIEN 303, TAIWAN)

測試部位敘述 (Test Part Description)

No.1 : THIN FILM CHIP INDUCTOR

測試結果 (Test Results)

| 測試項目 | 測試方法 | 單位 | MDL | 結果 | 限值 |
|---------------------------------|---|--------|-----|----------|---------|
| (Test Items) | (Method) | (Unit) | | (Result) | (Limit) |
| | | | | No.1 | |
| 鎘 (Cd) (Cadmium (Cd)) | 參考IEC 62321-5: 2013·以感應耦合電漿 | mg/kg | 2 | n.d. | 100 |
| | 發射光譜儀分析。(With reference to IEC | | | | |
| | 62321-5: 2013, analysis was performed | | | | |
| | by ICP-OES.) | | | | |
| 鉛 (Pb) (Lead (Pb)) | 參考IEC 62321-5: 2013·以感應耦合電漿 | mg/kg | 2 | n.d. | 1000 |
| | 發射光譜儀分析。(With reference to IEC | | | | |
| | 62321-5: 2013, analysis was performed | | | | |
| | by ICP-OES.) | | | | |
| 汞 (Hg) (Mercury (Hg)) | 參考IEC 62321-4: 2013+ AMD1: 2017·以 | mg/kg | 2 | n.d. | 1000 |
| | 感應耦合電漿發射光譜儀分析。(With | | | | |
| | reference to IEC 62321-4: 2013+ AMD1: | | | | |
| | 2017, analysis was performed by ICP-OES.) | | | | |
| 六價鉻 Cr(VI) (Hexavalent Chromium | 參考IEC 62321-7-2: 2017,以紫外光-可見 | mg/kg | 8 | n.d. | 1000 |
| Cr(VI)) | 光分光光度計分析。(With reference to | | | | |
| | IEC 62321-7-2: 2017, analysis was | | | | |
| | performed by UV-VIS.) | | | | |
| 一溴聯苯 (Monobromobiphenyl) | | mg/kg | 5 | n.d. | - |
| 二溴聯苯 (Dibromobiphenyl) | | mg/kg | 5 | n.d. | - |
| 三溴聯苯 (Tribromobiphenyl) | 参考IEC 62321-6: 2015·以氣相層析儀/質· ·譜儀分析。(With reference to IEC 62321- -6: 2015, analysis was performed by -GC/MS.) | mg/kg | 5 | n.d. | - |
| 四溴聯苯 (Tetrabromobiphenyl) | | mg/kg | 5 | n.d. | - |
| 五溴聯苯 (Pentabromobiphenyl) | | mg/kg | 5 | n.d. | - |
| 六溴聯苯 (Hexabromobiphenyl) | | mg/kg | 5 | n.d. | - |
| 七溴聯苯 (Heptabromobiphenyl) | | mg/kg | 5 | n.d. | - |
| 八溴聯苯 (Octabromobiphenyl) | | mg/kg | 5 | n.d. | - |
| 九溴聯苯 (Nonabromobiphenyl) | | mg/kg | 5 | n.d. | - |
| 十溴聯苯 (Decabromobiphenyl) | | mg/kg | 5 | n.d. | - |
| 多溴聯苯總和 (Sum of PBBs) | | mg/kg | - | n.d. | 1000 |



Test Report

號碼(No.): ETR24401458 日期(Date): 12-Apr-2024 頁數(Page): 3 of 15

光頡科技股份有限公司 (VIKING TECH CORPORATION) 新竹縣湖口鄉新竹工業區光復北路70號 (NO. 70, KUANFU N. ROAD, HSIN CHU INDUSTRIAL PARK, HUKOU, HSIN CHU HSIEN 303, TAIWAN)

| 測試項目 | 測試方法 | 單位 | MDL | 結果 | 限值 |
|---------------------------------------|---|--------|-----|----------|---------|
| (Test Items) | (Method) | (Unit) | | (Result) | (Limit) |
| | | | | No.1 | |
| 一溴聯苯醚 (Monobromodiphenyl ether) | | mg/kg | 5 | n.d. | - |
| 二溴聯苯醚 (Dibromodiphenyl ether) | | mg/kg | 5 | n.d. | - |
| 三溴聯苯醚 (Tribromodiphenyl ether) | | mg/kg | 5 | n.d. | - |
| 四溴聯苯醚 (Tetrabromodiphenyl ether) | 参考IEC 62321-6: 2015 · 以氣相層析儀/質 | mg/kg | 5 | n.d. | - |
| 五溴聯苯醚 (Pentabromodiphenyl ether) | 夢写IEC 02321-0. 2013・以報相層が展/員 譜儀分析。(With reference to IEC 62321- | mg/kg | 5 | n.d. | - |
| 六溴聯苯醚 (Hexabromodiphenyl ether) | 6: 2015, analysis was performed by | mg/kg | 5 | n.d. | - |
| 七溴聯苯醚 (Heptabromodiphenyl ether) | GC/MS.) | mg/kg | 5 | n.d. | - |
| 八溴聯苯醚 (Octabromodiphenyl ether) | GC/ 1V13.) | mg/kg | 5 | n.d. | - |
| 九溴聯苯醚 (Nonabromodiphenyl ether) | | mg/kg | 5 | n.d. | - |
| 十溴聯苯醚 (Decabromodiphenyl ether) | | mg/kg | 5 | n.d. | - |
| 多溴聯苯醚總和 (Sum of PBDEs) | | mg/kg | 1 | n.d. | 1000 |
| 鄰苯二甲酸丁苯甲酯 (BBP) (Butyl benzyl | | mg/kg | 50 | n.d. | 1000 |
| phthalate (BBP)) | | | | | |
| 鄰苯二甲酸二丁酯 (DBP) (Dibutyl | | mg/kg | 50 | n.d. | 1000 |
| phthalate (DBP)) | | | | | |
| 鄰苯二甲酸二(2-乙基己基)酯 (DEHP) (Di- | | mg/kg | 50 | n.d. | 1000 |
| (2-ethylhexyl) phthalate (DEHP)) | | | | | |
| 鄰苯二甲酸二異丁酯 (DIBP) (Diisobutyl | 參考IEC 62321-8: 2017 · 以氣相層析儀/質 | mg/kg | 50 | n.d. | 1000 |
| phthalate (DIBP)) | 譜儀分析。(With reference to IEC 62321- | | | | |
| 鄰苯二甲酸二異癸酯 (DIDP) (Diisodecyl | 8: 2017, analysis was performed by | mg/kg | 50 | n.d. | - |
| phthalate (DIDP)) (CAS No.: 26761-40- | GC/MS.) | | | | |
| 0, 68515-49-1) | | | | | |
| 鄰苯二甲酸二異壬酯 (DINP) (Diisononyl | | mg/kg | 50 | n.d. | - |
| phthalate (DINP)) (CAS No.: 28553-12- | | | | | |
| 0, 68515-48-0) | | | | | |
| 鄰苯二甲酸二正辛酯 (DNOP) (Di-n-octyl | | mg/kg | 50 | n.d. | - |
| phthalate (DNOP)) (CAS No.: 117-84-0) | | | | | |



Test Report

號碼(No.): ETR24401458 日期(Date): 12-Apr-2024 頁數(Page): 4 of 15

光頡科技股份有限公司 (VIKING TECH CORPORATION) 新竹縣湖口鄉新竹工業區光復北路70號 (NO. 70, KUANFU N. ROAD, HSIN CHU INDUSTRIAL PARK, HUKOU, HSIN CHU HSIEN 303, TAIWAN)

| 測試項目 (Test Items) | 測試方法 (Method) | 單位 (Unit) | MDL | 結果 (Result) No.1 | 限值 (Limit) |
|--|---|--------------|-----|------------------------|---------------|
| 六溴環十二烷及所有主要被辨別出的異構物(HBCDD) (α - HBCDD, β - HBCDD, γ - HBCDD) (Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α - HBCDD, β - HBCDD, γ - HBCDD)) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8)) | 參考IEC 62321-9: 2021·以氣相層析儀/質譜儀分析。(With reference to IEC 62321-9: 2021, analysis was performed by GC/MS.) | mg/kg | 20 | n.d. | - |
| 氟 (F) (Fluorine (F)) (CAS No.: 14762-94-8) | 参考BS EN 14582: 2016・以離子層析儀分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.) | mg/kg | 50 | n.d. | - |
| 氯 (Cl) (Chlorine (Cl)) (CAS No.: 22537- 15-1) | | mg/kg | 50 | n.d. | - |
| 溴 (Br) (Bromine (Br)) (CAS No.: 10097- 32-2) | | mg/kg | 50 | n.d. | - |
| 碘 (I) (Iodine (I)) (CAS No.: 14362-44-8) | | mg/kg | 50 | n.d. | - |
| 全氟辛烷磺酸及其鹽類 (PFOS and its salts) (CAS No.: 1763-23-1 and its salts) | 參考US EPA 3550C: 2007·以液相層析串 聯質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by LC/MS/MS.) | mg/kg | 10 | n.d. | - |
| 全氟辛酸及其鹽類 (PFOA and its salts) (CAS No.: 335-67-1 and its salts) | 參考US EPA 3550C: 2007·以液相層析串 聯質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by LC/MS/MS.) | mg/kg | 10 | n.d. | - |
| 銻 (Sb) (Antimony (Sb)) (CAS No.: 7440-36-0) | 參考US EPA 3052: 1996.以感應耦合電漿發射光譜儀分析。(With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.) | mg/kg | 2 | n.d. | - |



Test Report

號碼(No.): ETR24401458 日期(Date): 12-Apr-2024 頁數(Page): 5 of 15

光頡科技股份有限公司 (VIKING TECH CORPORATION) 新竹縣湖口鄉新竹工業區光復北路70號 (NO. 70, KUANFU N. ROAD, HSIN CHU INDUSTRIAL PARK, HUKOU, HSIN CHU HSIEN 303, TAIWAN)

備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm
- 2. MDL = Method Detection Limit (方法偵測極限值)
- 3. n.d. = Not Detected (未檢出); 小於MDL / Less than MDL
- 4. "-" = Not Regulated (無規格值)
- 5. 除非另有說明,參照ILAC-G8:09/2019,採用簡單二元(w=0)允收規則進行符合性判定;根據此規則,符合性結果之判定係以測試結果與限值做比較。(Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.)



Test Report

號碼(No.): ETR24401458 日期(Date): 12-Apr-2024 頁數(Page): 6 of 15

光頡科技股份有限公司 (VIKING TECH CORPORATION) 新竹縣湖口鄉新竹工業區光復北路70號 (NO. 70, KUANFU N. ROAD, HSIN CHU INDUSTRIAL PARK, HUKOU, HSIN CHU HSIEN 303, TAIWAN)

PFAS Remark:

現有PFAS定量技術是分析PFAS物質的特定結構,但同碳數族群之PFAS酸及鹽類物質,其可被辨識的特定結構相同,因此無法區別所分析的特定結構是來自酸或者鹽類,故測試結果為同碳數族群之PFAS之酸及鹽類物質的濃度總合。下表PFAS物質濃度皆已包含在測試結果中,相關資訊請參見下表:(下表列舉PFAS物質僅為範例,並不包含所有同碳數族群之PFAS鹽類。)

(The quantitative technology of PFAS is to analyze the specific structure of PFAS substances. However, PFAS acid and its salts with the same carbon number group have the same specific structure that can be identified. The tested results of the analyzed specific structure cannot be distinguished to identify the contribution from PFAS acid or its salts. Therefore, the tested results display the sum of concentrations of PFAS acids and its salts with the same carbon number group. The concentration of PFAS substances in the below table have been included in the tested results, please refer to the table for relevant information: (The listed PFAS substances are examples only, it do not include all PFAS salts with the same carbon number group.))

| 群組名稱 (Group Name) | 物質名稱 (Substance Name) | CAS No. |
|--|--|------------------------|
| | 全氟辛烷磺酸 (Perfluorooctane sulfonates) (PFOS) 全氟辛基磺酸鉀 (PFOS-K) Potassium perfluorooctanesulfonate (PFOS-K) | 1763-23-1 2795-39-3 |
| | 全氟辛基磺酸鋰 (PFOS-Li) Perfluorooctanesulfonic acid, lithium salt (PFOS-Li) | 29457-72-5 |
| | 全氟辛基磺酸銨 (PFOS-NH ₄) Perfluorooctanesulfonic acid, ammonium salt (PFOS-NH ₄) | 29081-56-9 |
| PFOS, 及其鹽&衍生物 (PFOS, its salts & derivatives) | 全氟辛基磺酸二乙醇銨 (PFOS-NH(OH) ₂) Perfluorooctane sulfonate diethanolamine salt (PFOS-NH(OH) ₂) | 70225-14-8 |
| | 全氟辛基磺酸四乙基銨 (PFOS-N(C_2H_5) ₄) Perfluorooctanesulfonic acid,tetraethylammonium salt (PFOS-N(C_2H_5) ₄) | 56773-42-3 |
| | 全氟辛基磺酸二癸二甲基銨 (PFOS-DDA) N-decyl-N,N-dimethyldecan-1-aminium 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctane-1- sulfonate (PFOS-DDA) | 251099-16-8 |



Test Report

號碼(No.): ETR24401458 日期(Date): 12-Apr-2024 頁數(Page): 7 of 15

光頡科技股份有限公司 (VIKING TECH CORPORATION) 新竹縣湖口鄉新竹工業區光復北路70號 (NO. 70, KUANFU N. ROAD, HSIN CHU INDUSTRIAL PARK, HUKOU, HSIN CHU HSIEN 303, TAIWAN)

| 群組名稱 (Group Name) | 物質名稱 (Substance Name) | CAS No. |
|--|---|------------|
| PFOS, 及其鹽&衍生物 (PFOS, its salts & derivatives) | 全氟辛基磺醯氟 (POSF) Perfluorooctane sulfonyl fluoride (POSF) | 307-35-7 |
| | 全氟辛基磺酸鎂 (PFOS-Mg) Perfluorooctanesulfonic acid, magnesium salt (PFOS-Mg) | 91036-71-4 |
| | 全氟辛基磺酸鈉 (PFOS-Na) Perfluorooctanesulfonic acid, sodium salt (PFOS-Na) | 4021-47-0 |
| | 全氟辛烷磺酸哌啶 Piperidine 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- heptadecafluorooctanesulfonate | 71463-74-6 |
| PFOA, 及其鹽&衍生物 (PFOA, its salts & derivatives) | 全氟辛酸 (Perfluorooctanoic acid) (PFOA) | 335-67-1 |
| | 全氟辛酸鈉 (PFOA-Na) Sodium perfluorooctanoate (PFOA-Na) | 335-95-5 |
| | 全氟辛酸鉀 (PFOA-K) Potassium perfluorooctanoate (PFOA-K) | 2395-00-8 |
| | 全氟辛酸銀 (PFOA-Ag) Silver perfluorooctanote (PFOA-Ag) | 335-93-3 |
| | 全氟辛氟 (PFOA-F) Perfluorooctanoyl fluoride (PFOA-F) | 335-66-0 |
| | 全氟辛酸銨 (APFO) Ammonium pentadecafluorooctanoate (APFO) | 3825-26-1 |
| | 全氟辛酸鋰 (PFOA-Li) Lithium perfluorooctanoate (PFOA-Li) | 17125-58-5 |



Test Report


號碼(No.): ETR24401458 日期(Date): 12-Apr-2024 頁數(Page): 8 of 15

光頡科技股份有限公司 (VIKING TECH CORPORATION) 新竹縣湖口鄉新竹工業區光復北路70號 (NO. 70, KUANFU N. ROAD, HSIN CHU INDUSTRIAL PARK, HUKOU, HSIN CHU HSIEN 303, TAIWAN)

重金屬流程圖 / Analytical flow chart of heavy metal

根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外)

These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr^{6+} test method excluded)






Test Report

號碼(No.): ETR24401458 日期(Date): 12-Apr-2024 頁數(Page): 9 of 15

光頡科技股份有限公司 (VIKING TECH CORPORATION) 新竹縣湖口鄉新竹工業區光復北路70號 (NO. 70, KUANFU N. ROAD, HSIN CHU INDUSTRIAL PARK, HUKOU, HSIN CHU HSIEN 303, TAIWAN)

多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBBs/PBDEs






Test Report

號碼(No.): ETR24401458 日期(Date): 12-Apr-2024 頁數(Page): 10 of 15

光頡科技股份有限公司 (VIKING TECH CORPORATION) 新竹縣湖口鄉新竹工業區光復北路70號 (NO. 70, KUANFU N. ROAD, HSIN CHU INDUSTRIAL PARK, HUKOU, HSIN CHU HSIEN 303, TAIWAN)

可塑劑分析流程圖 / Analytical flow chart - Phthalate

【測試方法/Test method: IEC 62321-8】






Test Report

號碼(No.): ETR24401458 日期(Date): 12-Apr-2024 頁數(Page): 11 of 15

光頡科技股份有限公司 (VIKING TECH CORPORATION) 新竹縣湖口鄉新竹工業區光復北路70號 (NO. 70, KUANFU N. ROAD, HSIN CHU INDUSTRIAL PARK, HUKOU, HSIN CHU HSIEN 303, TAIWAN)

六溴環十二烷分析流程圖 / Analytical flow chart - HBCDD






Test Report

號碼(No.): ETR24401458 日期(Date): 12-Apr-2024 頁數(Page): 12 of 15

光頡科技股份有限公司 (VIKING TECH CORPORATION) 新竹縣湖口鄉新竹工業區光復北路70號 (NO. 70, KUANFU N. ROAD, HSIN CHU INDUSTRIAL PARK, HUKOU, HSIN CHU HSIEN 303, TAIWAN)

鹵素分析流程圖 / Analytical flow chart - Halogen






Test Report

號碼(No.): ETR24401458 日期(Date): 12-Apr-2024 頁數(Page): 13 of 15

光頡科技股份有限公司 (VIKING TECH CORPORATION) 新竹縣湖口鄉新竹工業區光復北路70號 (NO. 70, KUANFU N. ROAD, HSIN CHU INDUSTRIAL PARK, HUKOU, HSIN CHU HSIEN 303, TAIWAN)

全氟化合物(包含全氟辛酸/全氟辛烷磺酸/其相關化合物等等)分析流程圖 / Analytical flow chart – PFAS (including PFOA/PFOS/its related compound, etc.)





Test Report

號碼(No.): ETR24401458 日期(Date): 12-Apr-2024 頁數(Page): 14 of 15


光頡科技股份有限公司 (VIKING TECH CORPORATION) 新竹縣湖口鄉新竹工業區光復北路70號 (NO. 70, KUANFU N. ROAD, HSIN CHU INDUSTRIAL PARK, HUKOU, HSIN CHU HSIEN 303, TAIWAN)

元素(含重金屬)分析流程圖 / Analytical flow chart of elements (Heavy metal included)

根據以下的流程圖之條件,樣品已完全溶解。

These samples were dissolved totally by pre-conditioning method according to below flow chart.

【參考方法/Reference method: US EPA 3051A、US EPA 3052】



* US EPA 3051A 方法未添加氫氟酸 / US EPA 3051A method does not add HF.



Test Report

號碼(No.): ETR24401458 日期(Dat

日期(Date): 12-Apr-2024

頁數(Page): 15 of 15

光頡科技股份有限公司 (VIKING TECH CORPORATION) 新竹縣湖口鄉新竹工業區光復北路70號 (NO. 70, KUANFU N. ROAD, HSIN CHU INDUSTRIAL PARK, HUKOU, HSIN CHU HSIEN 303, TAIWAN)

* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)

ETR24401458



** 報告結尾 (End of Report) **