

Test Report

號碼(No.): ETR23702640 日期(Date): 18-Jul-2023 頁數(Page): 1 of 13

光頡科技股份有限公司 (VIKING TECH CORPORATION)

新竹縣湖口鄉新竹工業區光復北路70號 (NO. 70, KUANFU N. ROAD, HSIN CHU INDUSTRIAL PARK, HUKOU, HSIN CHU HSIEN 303, TAIWAN)

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by the applicant as):

送樣廠商(Sample Submitted By) : 光頡科技股份有限公司 (VIKING TECH CORPORATION)

樣品名稱(Sample Name) : WIRE WOUND CHIP POWER RESISTOR

樣品型號(Style/Item No.) : WR SERIES

收件日(Sample Receiving Date) : 12-Jul-2023

測試期間(Testing Period) : 12-Jul-2023 to 18-Jul-2023

測試需求(Test Requested) : 依據客戶要求進行測試,測試項目請參閱測試結果表格。 (Testing item(s) is/are

specified by client. Please refer to result table for testing item(s).)

測試結果(Test Results) : 請參閱下一頁 (Please refer to following pages.)

Troy Chang / Department Malager
Signed for and on behalf of Alwah
SGS TAIWAN LTD.
Chemical Laboratory - Taipei



PIN CODE: 78073345



Test Report

號碼(No.): ETR23702640 日期(Date): 18-Jul-2023 頁數(Page): 2 of 13

光頡科技股份有限公司 (VIKING TECH CORPORATION)

新竹縣湖口鄉新竹工業區光復北路70號 (NO. 70, KUANFU N. ROAD, HSIN CHU INDUSTRIAL PARK, HUKOU, HSIN CHU HSIEN 303, TAIWAN)

測試部位敘述 (Test Part Description)

No.1 : 整體混測 (MIXED ALL PARTS)

測試結果 (Test Results)

| 測試項目 (Test Items) | 測試方法 (Method) | 單位 (Unit) | MDL | 結果 (Result) No.1 |
|--|--|--------------|-----|------------------------|
| 鎘 (Cd) (Cadmium (Cd)) | 參考IEC 62321-5: 2013·以感應耦合電漿發射光譜儀分析。(With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.) | mg/kg | 2 | n.d. |
| 鉛 (Pb) (Lead (Pb)) | | mg/kg | 2 | n.d. |
| 汞 (Hg) (Mercury (Hg)) | 參考IEC 62321-4: 2013+ AMD1: 2017 · 以感應耦合 電漿發射光譜儀分析。(With reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP-OES.) | mg/kg | 2 | n.d. |
| 六價鉻 Cr(VI) (Hexavalent Chromium Cr(VI)) | 參考IEC 62321-7-2: 2017·以紫外光-可見光分光光度計分析。(With reference to IEC 62321-7-2: 2017, analysis was performed by UV-VIS.) | mg/kg | 8 | n.d. |
| 一溴聯苯 (Monobromobiphenyl) | | mg/kg | 5 | n.d. |
| 二溴聯苯 (Dibromobiphenyl) | | mg/kg | 5 | n.d. |
| 三溴聯苯 (Tribromobiphenyl) | | mg/kg | 5 | n.d. |
| 四溴聯苯 (Tetrabromobiphenyl) | 参考IEC 62321-6: 2015·以氣相層析儀/質譜儀分 | mg/kg | 5 | n.d. |
| 五溴聯苯 (Pentabromobiphenyl) | | mg/kg | 5 | n.d. |
| 六溴聯苯 (Hexabromobiphenyl) | 析。(With reference to IEC 62321-6: 2015, analysis | mg/kg | 5 | n.d. |
| 七溴聯苯 (Heptabromobiphenyl) | was performed by GC/MS.) | mg/kg | 5 | n.d. |
| 八溴聯苯 (Octabromobiphenyl) | | mg/kg | 5 | n.d. |
| 九溴聯苯 (Nonabromobiphenyl) | | mg/kg | 5 | n.d. |
| 十溴聯苯 (Decabromobiphenyl) | | mg/kg | 5 | n.d. |
| 多溴聯苯總和 (Sum of PBBs) | | mg/kg | - | n.d. |



Test Report

號碼(No.): ETR23702640 日期(Date): 18-Jul-2023 頁數(Page): 3 of 13

光頡科技股份有限公司 (VIKING TECH CORPORATION)

新竹縣湖口鄉新竹工業區光復北路70號 (NO. 70, KUANFU N. ROAD, HSIN CHU INDUSTRIAL PARK, HUKOU, HSIN CHU HSIEN 303, TAIWAN)

| 測試項目 (Test Items) | 測試方法 (Method) | 單位 (Unit) | MDL | 結果 (Result) No.1 |
|--|--|--------------|-----|------------------------|
| 一溴聯苯醚 (Monobromodiphenyl ether) | | mg/kg | 5 | n.d. |
| 二溴聯苯醚 (Dibromodiphenyl ether) | | mg/kg | 5 | n.d. |
| 三溴聯苯醚 (Tribromodiphenyl ether) | | mg/kg | 5 | n.d. |
| 四溴聯苯醚 (Tetrabromodiphenyl ether) | | mg/kg | 5 | n.d. |
| 五溴聯苯醚 (Pentabromodiphenyl ether) | 參考IEC 62321-6: 2015·以氣相層析儀/質譜儀分 | mg/kg | 5 | n.d. |
| 六溴聯苯醚 (Hexabromodiphenyl ether) | 析。(With reference to IEC 62321-6: 2015, analysis was performed by GC/MS.) | mg/kg | 5 | n.d. |
| 七溴聯苯醚 (Heptabromodiphenyl ether) | | mg/kg | 5 | n.d. |
| 八溴聯苯醚 (Octabromodiphenyl ether) | | mg/kg | 5 | n.d. |
| 九溴聯苯醚 (Nonabromodiphenyl ether) | | mg/kg | 5 | n.d. |
| 十溴聯苯醚 (Decabromodiphenyl ether) | | mg/kg | 5 | n.d. |
| 多溴聯苯醚總和 (Sum of PBDEs) | | mg/kg | ı | n.d. |
| 鄰苯二甲酸丁苯甲酯 (BBP) (Butyl benzyl phthalate (BBP)) | 參考IEC 62321-8: 2017·以氣相層析儀/質譜儀分析。(With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.) | mg/kg | 50 | n.d. |
| 鄰苯二甲酸二丁酯 (DBP) (Dibutyl phthalate (DBP)) | | mg/kg | 50 | n.d. |
| 鄰苯二甲酸二(2-乙基己基)酯 (DEHP) (Di- (2-ethylhexyl) phthalate (DEHP)) | | mg/kg | 50 | n.d. |
| 鄰苯二甲酸二異丁酯 (DIBP) (Diisobutyl phthalate (DIBP)) | | mg/kg | 50 | n.d. |
| 鄰苯二甲酸二異癸酯 (DIDP) (Diisodecyl phthalate (DIDP)) (CAS No.: 26761-40-0, 68515-49-1) | | mg/kg | 50 | n.d. |
| 鄰苯二甲酸二異壬酯 (DINP) (Diisononyl phthalate (DINP)) (CAS No.: 28553-12-0, 68515-48-0) | | mg/kg | 50 | n.d. |
| 鄰苯二甲酸二正辛酯 (DNOP) (Di-n-octyl phthalate (DNOP)) (CAS No.: 117-84-0) | | mg/kg | 50 | n.d. |



Test Report

號碼(No.): ETR23702640

日期(Date): 18-Jul-2023

頁數(Page): 4 of 13

光頡科技股份有限公司 (VIKING TECH CORPORATION)

新竹縣湖口鄉新竹工業區光復北路70號 (NO. 70, KUANFU N. ROAD, HSIN CHU INDUSTRIAL PARK, HUKOU, HSIN CHU HSIEN 303, TAIWAN)

| 測試項目 | 測試方法 | 單位 | MDL | 結果 |
|---|---|--------|-----|----------|
| (Test Items) | (Method) | (Unit) | | (Result) |
| | | | | No.1 |
| 六溴環十二烷及所有主要被辨別出的異構物 (HBCDD) (α - HBCDD, β - HBCDD, γ - HBCDD) (Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α - HBCDD, β - HBCDD, γ - HBCDD)) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8)) | 參考IEC 62321-9: 2021.以氣相層析儀/質譜儀分析。(With reference to IEC 62321-9: 2021, analysis was performed by GC/MS.) | mg/kg | 20 | n.d. |
| 氟 (F) (Fluorine (F)) (CAS No.: 14762-94-8) | | mg/kg | 50 | n.d. |
| 氯 (Cl) (Chlorine (Cl)) (CAS No.: 22537- 15-1) | 参考BS EN 14582: 2016·以離子層析儀分析。(With reference to BS EN 14582: 2016, analysis was | mg/kg | 50 | n.d. |
| 溴 (Br) (Bromine (Br)) (CAS No.: 10097- 32-2) | performed by IC.) | mg/kg | 50 | n.d. |
| 碘 (I) (Iodine (I)) (CAS No.: 14362-44-8) | | mg/kg | 50 | n.d. |
| 全氟辛烷磺酸及其鹽類 (PFOS and its salts) (CAS No.: 1763-23-1 and its salts) | 參考US EPA 3550C: 2007·以液相層析串聯質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by LC/MS/MS.) | mg/kg | 10 | n.d. |
| 全氟辛酸及其鹽類 (PFOA and its salts) (CAS No.: 335-67-1 and its salts) | 參考US EPA 3550C: 2007·以液相層析串聯質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by LC/MS/MS.) | mg/kg | 10 | n.d. |
| 銻 (Sb) (Antimony (Sb)) (CAS No.: 7440-36-0) | 參考US EPA 3052: 1996·以感應耦合電漿發射光譜 儀分析。(With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.) | mg/kg | 2 | n.d. |



Test Report

號碼(No.): ETR23702640 日期(Date): 18-Jul-2023 頁數(Page): 5 of 13

光頡科技股份有限公司 (VIKING TECH CORPORATION)

新竹縣湖口鄉新竹工業區光復北路70號 (NO. 70, KUANFU N. ROAD, HSIN CHU INDUSTRIAL PARK, HUKOU, HSIN CHU HSIEN 303, TAIWAN)

備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm
- 2. MDL = Method Detection Limit (方法偵測極限值)
- 3. n.d. = Not Detected (未檢出); 小於MDL / Less than MDL
- 4. "-" = Not Regulated (無規格值)
- 5. 全氟辛烷磺酸及其鹽類包含等物質 (PFOS and its salts including): CAS No.: 1763-23-1, 2795-39-3, 29457-72-5, 29081-56-9, 70225-14-8, 56773-42-3, 251099-16-8, 307-35-7, 91036-71-4, 4021-47-0 and others.
- 6. 全氟辛酸及其鹽類包含等物質 (PFOA and its salts including): CAS No.: 335-67-1, 335-95-5, 2395-00-8, 335-93-3, 335-66-0, 3825-26-1 and others.
- 7. 樣品的測試是基於申請人要求混合測試,報告中的混合測試結果不代表其中個別單一材質的含量。
 The sample(s) was/were analyzed on behalf of the applicant as mixing sample in one testing. The above result(s) was/were only given as the informality value.



Test Report

號碼(No.): ETR23702640

日期(Date): 18-Jul-2023

頁數(Page): 6 of 13


光頡科技股份有限公司 (VIKING TECH CORPORATION)

新竹縣湖口鄉新竹工業區光復北路70號 (NO. 70, KUANFU N. ROAD, HSIN CHU INDUSTRIAL PARK, HUKOU, HSIN CHU HSIEN 303, TAIWAN)

重金屬流程圖 / Analytical flow chart of heavy metal

根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外)

These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr^{6+} test method excluded)






Test Report

號碼(No.): ETR23702640 日期(Date): 18-Jul-2023 頁數(Page): 7 of 13

光頡科技股份有限公司 (VIKING TECH CORPORATION) 新竹縣湖口鄉新竹工業區光復北路70號 (NO. 70, KUANFU N. ROAD, HSIN CHU INDUSTRIAL PARK, HUKOU, HSIN CHU HSIEN 303, TAIWAN)

多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBBs/PBDEs





Test Report

號碼(No.): ETR23702640


日期(Date): 18-Jul-2023

頁數(Page): 8 of 13

光頡科技股份有限公司 (VIKING TECH CORPORATION) 新竹縣湖口鄉新竹工業區光復北路70號 (NO. 70, KUANFU N. ROAD, HSIN CHU INDUSTRIAL PARK, HUKOU, HSIN CHU HSIEN 303, TAIWAN)

可塑劑分析流程圖 / Analytical flow chart - Phthalate

【測試方法/Test method: IEC 62321-8】





Test Report


號碼(No.): ETR23702640 日期(Date): 18-Jul-2023

頁數(Page): 9 of 13

光頡科技股份有限公司 (VIKING TECH CORPORATION)

新竹縣湖口鄉新竹工業區光復北路70號 (NO. 70, KUANFU N. ROAD, HSIN CHU INDUSTRIAL PARK, HUKOU, HSIN CHU HSIEN 303, TAIWAN)

六溴環十二烷分析流程圖 / Analytical flow chart - HBCDD





Test Report


號碼(No.): ETR23702640 日期(Date): 18-Jul-2023

頁數(Page): 10 of 13

光頡科技股份有限公司 (VIKING TECH CORPORATION)

新竹縣湖口鄉新竹工業區光復北路70號 (NO. 70, KUANFU N. ROAD, HSIN CHU INDUSTRIAL PARK, HUKOU, HSIN CHU HSIEN 303, TAIWAN)

鹵素分析流程圖 / Analytical flow chart - Halogen






Test Report

號碼(No.): ETR23702640 日期(Date): 18-Jul-2023 頁數(Page): 11 of 13

光頡科技股份有限公司 (VIKING TECH CORPORATION) 新竹縣湖口鄉新竹工業區光復北路70號 (NO. 70, KUANFU N. ROAD, HSIN CHU INDUSTRIAL PARK, HUKOU, HSIN CHU HSIEN 303, TAIWAN)

全氟化合物(包含全氟辛酸/全氟辛烷磺酸/其相關化合物等等)分析流程圖 / Analytical flow chart – PFAS (including PFOA/PFOS/its related compound, etc.)





Test Report

號碼(No.): ETR23702640 日期(Date): 18-Jul-2023

頁數(Page): 12 of 13

光頡科技股份有限公司 (VIKING TECH CORPORATION)


新竹縣湖口鄉新竹工業區光復北路70號 (NO. 70, KUANFU N. ROAD, HSIN CHU INDUSTRIAL PARK, HUKOU, HSIN CHU HSIEN 303, TAIWAN)

元素(含重金屬)分析流程圖 / Analytical flow chart of elements (Heavy metal included)

根據以下的流程圖之條件、樣品已完全溶解。

These samples were dissolved totally by pre-conditioning method according to below flow chart.

【參考方法/Reference method: US EPA 3051A、US EPA 3052】



* US EPA 3051A 方法未添加氫氟酸 / US EPA 3051A method does not add HF.



Test Report

號碼(No.): ETR23702640

日期(Date): 18-Jul-2023


頁數(Page): 13 of 13

光頡科技股份有限公司 (VIKING TECH CORPORATION)

新竹縣湖口鄉新竹工業區光復北路70號 (NO. 70, KUANFU N. ROAD, HSIN CHU INDUSTRIAL PARK, HUKOU, HSIN CHU HSIEN 303, TAIWAN)

* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)

ETR23702640



** 報告結尾 (End of Report) **